



3 SIDED ENCLOSURE PLAN
STANDARD FOR 15' x 5' BIOSWALE
GRANITE CURB EDGING WITH STORMWATER CHAMBER

NOT TO SCALE

NOTES:

1. NO BIOSWALES SHALL BE INSTALLED IN THE CITY RIGHT-OF-WAY WITHOUT THE EXPRESS PERMISSION OF THE CITY ENGINEER.
2. DOME GRATE OVERFLOW TO BE SET AT SAME ELEVATION AS BIOSWALE INLET.
3. SEE STORMWATER AND DOME GRATE DETAILS ON STANDARD DRAWING NH-44G.
4. DOME GRATE OVERFLOW LOCATION IS SPECIFIC TO INLET ORIENTATION SHOWN. IF THE INLET ORIENTATION IS MOVED TO THE OTHER SIDE, THE DOME GRATE OVERFLOW LOCATION MUST BE MIRRORED.
5. CONTRACTOR SHALL NOT BE PERMITTED TO STOCKPILE, STORE OR LAY DOWN ANY CONSTRUCTION MATERIAL WITHIN ANY EXISTING TREE PIT OR BIOSWALE.
6. THE CONTRACTOR SHALL BE REQUIRED TO REMOVE AND REPLACE ALL EXISTING FULL SIDEWALK FLAGS ADJACENT TO THE BIOSWALE.